

# Nouveau Essentials

dctuk.com



0345 222 1544  
www.dctuk.com

## Table of content



**03**

**Product features**

**04**

**The colours**

**05**

**Combinations**

**06**

**Affordable and Resistant**

**07**

**Fitting Projects**

**08**

**Specifications**

# Product features

✓ 50cm x 50cm carpet tiles

✓ Perfect for commercial spaces

✓ Tough loop pile construction

✓ Manufactured in the UK

✓ Fire resistant properties

✓ Next working day delivery

# Affordable and Resistant



One of life's vital essentials is good quality carpet tiles that are both affordable and stylish and we've got both in the bag. Here at DCTUK we love a little luxury but we also understand the importance of the bare necessities, those simple bare necessities, which is why we created this holy grail range. A comfortable, luxurious, resistant and, affordable carpet tile.

**Affordable and resistant carpet tiles. Do want any better than this?!**

# Fitting projects

Whether you need to renovate your home or office, or if you are in charge of renovating a schoolroom or airport, DCTUK is here for you! Our fitting teams will take care of everything so your home or workspace will be ready to show off to lots of envious eyes before you know it.

We want to make our customers' life easier; your satisfaction matters most - we're always available at any time by phone call or email. You can see below some projects completed using our very own Nouveau Connections Stripe. Take a look. You won't be disappointed.

## Dandy Booksellers London



Learn more about this project



Visit our page

# Fitting for the workplace

## What we do

- ✓ Straight lay (all products)
- ✓ Uplift & dispose existing flooring
- ✓ Recycling of existing flooring
- ✓ Moving furniture
- ✓ Subfloor preparation
- ✓ Free design service
- ✓ Free site survey
- ✓ Evenings and weekend work
- ✓ Cap & cove for vinyl
- ✓ Others



# Specifications

CONSTRUCTION	Tufted Loop Carpet Tile
PILE MATERIAL COMPOSITION DU VELOURS POLMATERIAL POOLMATERIAAL	100% Polypropylene
MACHINE	1/10th Gauge
PRIMARY	Non-woven Polyester
PILE HEIGHT HAUTEUR DU VELOURS FLORHÖHE POOLHOOGTE	2.5mm
TOTAL HEIGHT HAUTEUR TOTALE GESAMTHÖHE TOTALE HOOGTE	5.9mm
THERMAL RESISTANCE RÉSISTANCE THERMIQUE WÄRMEDURCHLASSWIDERSTAND WARMTEDOORLAATWEERSTAN	(EN 13501-1) Cfl-s1

STITCH RATE	43/10cm
FINISHED PILE WEIGHT (+/-0.5%) BS 4223	390gm/m <sup>2</sup>
PRECOAT WEIGHT (+/0.5%)	810gm/m <sup>2</sup>
BACKING MATERIAL	Oxidised Bitumen with Spun Bonded secondary
BAKING WEIGHT	2,500gm/m <sup>2</sup>
CASTOR CHAIR SUITABILITY CHAISE À ROULETTES STUHLROLLENEIGNUNG ROLSTOELGESCHIKTHEID	(EN985) B
REINFORCEMENT	Glass tissue for stability
TOTAL WEIGHT (+/-10%) BS4223 POIDS TOTAL GESAMTGEWICHT TOTAAL GEWICHT	4,180gm/m <sup>2</sup>





**dctuk.com**

**Social Media**

 [facebook.com/dctuk](https://facebook.com/dctuk)

 [instagram.com/dctukdesign](https://instagram.com/dctukdesign)

 [youtube.com/dctuk](https://youtube.com/dctuk)

 [twitter.com/dctuk](https://twitter.com/dctuk)

**0345 222 1544**  
**[www.dctuk.com](http://www.dctuk.com)**