



Strobe

8+1 Highlight Colourways



BROADLOOM DESIGN



TESSELLATED DESIGN



BREEAM® 'A+' Rated



AVAILABLE
FROM STOCK

Strobe

8+1 Highlight Colourways



Suitable for office,
commercial, retail,
schools, colleges,
and leisure

Heavy Contract
100% Solution
Dyed Nylon /
Space Dyed Nylon

10 year
Warranty


Available in 8 Linear
designed colourways

+ 1 Fusion Grey
Accent Colour


610 gsm
(Grey Fusion
580gsm)

Pile Yarn Weight

BREEAM 'A+' Rated
Total recycled
content of up
to 50%



BROADLOOM DESIGN



TESSELLATED DESIGN



BREEAM® 'A+' Rated



AVAILABLE
FROM STOCK

strobe



Style	1/10" gauge
Yarn Construction	Solution Dyed / Space Dyed
Pile Yarn Weight	610 gsm (Grey Fusion 580gsm)
Pile Height	3mm
Total Weight	4400 gsm
Total Thickness	6mm
Backing	100% Envirobase - minimum of 75% recycled material
Additional Backing	100% Komfort Bac available on request
Dimensions	50cm x 50cm
Wear Classification	Heavy Contract Class 33
Luxury Class	LC1
Anti-static	< 2kV body voltage Suitable for use with computers
Colour Fastness	To Light (ISO105 – BO2) > 6 To Water (ISO 105 - E01) > 5 To Rubbing (ISO 105 - X12) > 5 dry 4-5 wet
Flammability	BS 4790 Low radius of char BS EN 13501-1 Bfl-s1
Castor Chair Test	BS EN 985 continuous use
Warranty	10 Year Warranty
VOC Content	E1 in relation to EN 14041:2004
Environmental Status	Breeam® 'A+' Rated



Farfield Park
Manvers
Wath-upon-Deerne
Rotherham, S63 5DB

T. +44 (0) 1709 763 839
F. +44 (0) 1709 763 813
E. sales@paragon-carpets.co.uk
W. www.paragon-carpets.co.uk

stroke





strobe



Spark






Spark 2621
(LRV - Y4.57)



Flex 2620
(LRV - Y4.97)



Blaze 2604
(LRV - Y4.24)



Extreme 2606
(LRV - Y5.11)




Ignite 2603
(LRV - Y6.09)



Rapid 2614
(LRV - Y5.53)



Force 2605
(LRV - Y7.47)



Plasma 2619
(LRV - Y4.29)



Grey Fusion Highlight
(Accent colour for all colourways)
(LRV - Y4.69)

INSTALLATION

Sub floors should be clean, dry and flat and prepared in accordance with BS5325. Timber floors should be covered with plywood or other appropriate sheet materials. For tiles use F Ball tackifier F41 or Laybond 79. Tiles may be laid tessellated or broadloom. Tiles should be allowed to condition for a minimum of 24 hours at the expected temperature and humidity prevailing when the building is in use. Further installation information is available from the Paragon Sales Office.

COLOUR


For technical reasons, as with all textile materials, it may not be possible to colour match from different batches. Orders requiring colour match should be placed at the same time. Production may therefore show variations to the sample card.

MAINTENANCE


It is recommended that a maintenance schedule be initiated from the date of installation to achieve maximum life expectancy of the product. Regular vacuum cleaning with a twin motored upright vacuum cleaner is essential. All spillages and stains should be attended to immediately. For detailed information, please consult the Paragon cleaning and maintenance guide. It is imperative that all internal carpets are well protected from outside soiling and moisture by the use of barrier matting such as MatWorks, also available from Paragon.



Farfield Park
Manvers
Wath-upon-Deerne
Rotherham, S63 5DB
T. +44 (0) 1709 763 839
F. +44 (0) 1709 763 813
E. sales@paragon-carpets.co.uk
W. www.paragon-carpets.co.uk







Flex





strobe



Flex

Experience Carpet Tiles

paragon
CARPET TILES



Strobe

8+1 Highlight Colourways


A Division of National Floorcoverings Ltd.

Farfield Park, Manvers, Wath-upon-Deane, Rotherham, S63 5DB T. +44(0) 1709 763839


Samples Department: +44(0) 1709 763805.

Order Free Samples Online E. samples@paragon-carpets.co.uk

www.paragon-carpets.co.uk | www.mat-works.co.uk



BROADLOOM DESIGN



TESSELLATED DESIGN



BREEAM® 'A+' Rated



MADE IN BRITAIN

AVAILABLE
FROM STOCK



i colour wheel www.paragon-app.com



Download our free apps NOW

Search Paragon Carpets

