

Vital

14 Colourways



Suitable for use with computers


Heavy Contract Class 33 dyed nylon

450 gsm Pile Yarn Weight

10 year Warranty

100% Envirobase - minimum of 75% recycled material

















Style	1/10th gauge
Yarn Construction	100% Solution dyed nylon
Pile Yarn Weight	450gsm
Pile Height	3mm
Total Weight	4030 gsm
Total Thickness	5.5mm
Backing	100% Envirobase - minimum of 75% recycled material
Additional Backing	100% Komfort Bac available on request
Dimensions	500mm x 500mm
Wear Classification	Heavy Contract Class 33
Luxury Class	LC1
Anti-static	Suitable for use with computers. Less than 2Kv
Flammability	Bfl-s1 (BS EN 13501-1)
Castor chair	Suitable for intensive use
Warranty	10 years



Farfield Park
Manvers
Wath-upon-Dearne
Rotherham, S63 5DB

Farfield Park
Manvers
Wath-upon-Dearne
Rotherham, S63 5DB

T. +44 (0) 1709 763 839
F. +44 (0) 1709 763 813
E. sales@paragon-carpets.co.uk
W. www.paragon-carpets.co.uk



INSTALLATION

Sub floors should be clean, dry and flat and prepared in accordance with BS5325. Timber floors should be covered with plywood or other appropriate sheet materials. For tiles use F Ball tackifier F41 or Laybond 79. Tiles may be laid tessellated or broadloom. Tiles should be allowed to condition for a minimum of 24 hours at the expected temperature and humidity prevailing when the building is in use. Further installation information is available from the Paragon Sales Office.

COLOUR

For technical reasons, as with all textile materials, it may not be possible to colour match from different batches. Orders requiring colour match should be placed at the same time. Production may therefore show variations to the sample card.

MAINTENANCE

It is recommended that a maintenance schedule be initiated from the date of installation to achieve maximum life expectancy of the product. Regular vacuum cleaning with a twin motored upright vacuum cleaner is essential. All spillages and stains should be attended to immediately. For detailed information, please consult the Paragon cleaning and maintenance guide. It is imperative that all internal carpets are well protected from outside soiling and moisture by the use of barrier matting such as MatWorks, also available from Paragon.






















Vital 2315 LRV - Y6.01)



Vital 6013 (LRV - Y6.90)



Vital 8007 (LRV - Y2.54)



Vital 876310 (LRV - Y4.26)



Vital 878302 (LRV - Y6.91)



Vital 6310 (LRV - Y6.30)



Vital 8302 (LRV - Y9.86)



Vital 876013 (LRV - Y4.85)




Vital 6011 (LRV - Y5.49)



Vital 8316 (LRV - Y5.09)



Vital 878316 (LRV - Y3.91)



Vital 8001 (LRV - Y7.11)



Vital 872315 (LRV - Y4.00)



Vital 868302 (LRV - Y7.54)



Wath-upon-Dearne

T. +44 (0) 1709 763 839

F. +44 (0) 1709 763 813 E. sales@paragon-carpets.co.uk

Rotherham, S63 5DB | W. www.paragon-carpets.co.uk













Experience Carpet Tiles



Vital

14 Colourways

A Division of National Floorcoverings Ltd.
Farfield Park, Manvers, Wath-upon-Dearne, Rotherham, S63 5DB T. +44(0) 1709 763839
Samples Department: +44(0) 1709 763805.
Order Free Samples Online E. samples@paragon-carpets.co.uk
www.paragon-carpets.co.uk | www.mat-works.co.uk





Download our free apps NOW

Search Paragon Carpets

















